



## Safety Data Sheet

# Soudal Soudacryl All Purpose

### Section 1. Identification

Product Identifier: Soudal Soudacryl All Purpose  
Manufacturer Part Number: 146728

Recommended Use: Refer to technical information  
Uses advised against: Refer to technical information

Manufacturer Contact: Soudal  
350 Ring Road  
Elizabethtown, KY 42701  
Telephone: (270) 769-3385

Emergency Telephone Number: CHEMTREC 1 (800) 424-9300

### Section 2. Hazard Identification

Physical Hazards Not classified  
Health Hazards Not classified  
Environmental Hazards Not classified

#### Label Elements

Hazard Symbol None  
Signal Word None

#### Precautionary statements

Prevention Observe good industrial hygiene practices  
Response Wash hands after handling.  
Storage Store away from incompatible materials  
Disposal Dispose of container in accordance with local, regional, national and international regulations.

Other hazards None known  
Supplemental information None

Ingredients of unknown toxicity 0%

**Hazards not Otherwise Classified** N/A

**Additional Information:** While this material is not considered hazardous by the OSHA Hazard Communication Standard (29CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

## Section 3. Composition/Information on Ingredients

Chemical Name	CAS number	%
Distillates (petroleum), hydrotreated middle	64742-46-7	2.2

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## Section 4. First Aid Measures

**Inhalation:** If symptoms are experienced, move victim to fresh air. If symptoms persists, obtain medical advice.

**Skin Contact:** Flush with cool water. Wash with soap and water. Obtain medical condition if irritation persists.

**Eye Contact:** Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

**Ingestion:** Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur.

**Most important symptoms and effects, both acute and delayed:**

This material is not expected to be harmful.

**Indication of any immediate medical attention and special treatment needed**

**Notes to physician:** Treat patient symptomatically.

**General information:** If exposed or concerned: Get medical attention. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of children.

## Section 5. Firefighting Measures

**Suitable extinguishing media:** Water spray. Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical.

**Unsuitable extinguishing media:** None known

**Special hazards arising from the substance or mixture:** During fire, gases hazardous to health may be formed.

**Hazardous combustion products:** May include and are not limited to: oxides of carbon.

**Special protective equipment and precautions for firefighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Fire fighting equipment/instructions:** Use water spray to cool unopened containers.

**Specific Methods:** Use standard firefighting procedures and consider the hazards fo other involved materials.

**General fire hazards:** No unusual fire or explosion noted.

## Section 6. Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:** Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up:** Stop the flow of material, if this is without risk. Cured material can be scraped up and disposed of. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

**Environmental precautions:** Do not discharge into lakes, streams, ponds, and public waters.

## Section 7. Handling and Storage

**Precautions for safe handling:** Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Provide adequate ventilation. Avoid prolonged exposure. Observe good industrial hygiene practices. Wash thoroughly after handling. When using, do not eat or drink.

**Conditions for safe storage including any incompatibilities:** Avoid freezing or extended storage in high temperature. Store away from incompatible materials (see Section 10 of the SDS). Store locked up.

## Section 8. Exposure Controls/Personal Protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

Component	CAS	Type	Value	Form
Distillates (petroleum), hydrotreated middle	64742-46-7	TWA	5 mg/m <sup>3</sup>	Inhalable fraction

#### Biological limit values

No biological exposure limits noted for the ingredients

#### Appropriate engineering controls

Ensure adequate ventilation

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear safety glass with side shields

##### Skin Protection

##### Hand protection

Wear appropriate chemical resistant gloves. Confirm with a reputable supplier first.

##### Other

As required by employer code

##### Respiratory protection

Where exposure guidelines may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), and ANSI's standard for respiratory protection (Z88.2).

##### Thermal Hazards

Not applicable

#### General Hygiene

Handle in accordance with good industrial hygiene and safety practices. Wash hands before breaks and immediately after handling the product. When using do not eat or drink.

## Section 9. Physical and Chemical Properties

#### Appearance

Paste

#### Physical State

Solid

#### Color

refer to product label

#### Odor

Mild acrylic

#### Odor Threshold

No data available

#### pH

8.0

#### Melting point/range

No data available

#### Freezing point

0 °C

#### Boiling Point (760 mm Hg)

100 °C

#### Flash Point

Not determined

#### Evaporation Rate (Butyl acetate = 1)

Slower than n-butyl acetate

#### Flammability (solid, gas)

Not classified as a flammability hazard

#### Lower explosion limit

0.9%

#### Upper explosion limit

15.3%

#### Vapor Pressure

Not applicable

#### Relative Vapor Density (air = 1)

No data available

#### Specific Gravity

1.62

#### Water solubility

Dilutable in wet stage

<b>Partition coefficient (n-octanol/water)</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Decomposition temperature</b>	No data available
<b>Viscosity</b>	750,000 cPs
<b>Explosive properties</b>	Not explosive
<b>Oxidizing properties</b>	The substance or mixture is not classified as oxidizing.
<b>Molecular weight</b>	No data available
<b>Particle Size</b>	No data available

## Section 10. Stability and Reactivity

**Reactivity:** This product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability:** Material is stable under normal conditions.

**Possibility of hazardous reactions:** No dangerous reactions known under conditions of normal use.

**Conditions to avoid:** Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. Do not mix with other chemicals.

**Incompatible materials:** Oxidizers

**Hazardous decomposition products:** May include and are not limited to: Oxides of carbon

## Section 11. Toxicological Information

### Information on likely routes of exposure

<b>Inhalation</b>	Prolonged inhalation may be harmful
<b>Skin Contact</b>	Prolonged skin contact may cause skin irritation
<b>Eye Contact</b>	Direct contact with eyes may cause temporary irritation
<b>Ingestion</b>	May cause stomach distress, nausea, or vomiting.

Components	Species	Test Results
Distillates (petroleum, hydrotreated middle (CAS 64742-46-7)		
Dermal		
LD50	Rabbit	>2,000 mg/kg, 24 hours, ECHA
Inhalation		
LC50	Rat	73,680 mg/L, 4 hours, HSDB 7,640 mg/m <sup>3</sup> , 4 h, ECHA 61 mg/L, 4 hours, HSDB 4.6 mg/L, 4 hours, ECHA 1.8 mg/L, 4 hours, ECHA 1.7 mg/L, 4 hours, ECHA
Oral		
LD50	Rat	>5,000 mg/kg, ECHA

>25 ml/kg, HSDB  
7400 mg/kg, LOLI

<b>Skin Corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation
<b>Exposure minutes</b>	Not available
<b>Erythema value</b>	Not available
<b>Oedema value</b>	Not available
<b>Serious Eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation
<b>Corneal Opacity Value</b>	Not available
<b>Iris Lesion Value</b>	Not available
<b>Conjunctival oedema value</b>	Not available
<b>Recover Days</b>	Not available
<b>Respiratory or skin sensitizations</b>	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer
<b>Skin Sensitization</b>	Not classified
<b>Germ Cell Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	Contains titanium dioxide in a non-respirable form
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>	
Distillates (petroleum), hydrotreated middle (CAS 64742046-7)	Volume 33, Supplement 7 – 3 Not classified as to carcinogenicity to humans.
<b>Reproductive toxicity</b>	Not classified
<b>Specific target organ toxicity</b>	
<b>Single Exposure</b>	Not classified
<b>Repeated Exposure</b>	Not classified
<b>Aspiration hazard</b>	Not an aspiration hazard
<b>Chronic effects</b>	Prolonged exposure may cause chronic effects
<b>Further information</b>	Not available

## Section 12. Ecological Information

<b>Ecotoxicity</b>	See below
<b>Persistence and degradability</b>	No data is available on the degradability of any ingredients in the mixture.
<b>Bioaccumulative potential</b>	
<b>Mobility in soil</b>	No data available
<b>Mobility in general</b>	Not available
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## Section 13. Disposal Considerations

<b>Disposal Instructions</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations
<b>Hazardous Waste Code</b>	The waste code should be assigned in discussions between the user, the producer, and the waste disposal company.
<b>Waste from residue/unused product</b>	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions)
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty container should be taken to an approved waste handling site for recycling or disposal.

## Section 14. Transport Information

<b>DOT</b>	Not regulated for transport
<b>Classification for SEA transport (IMO-IMDG)</b>	Not regulated for transport
<b>Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code</b>	Consult IMO regulations before transporting ocean bulk
<b>Classification for AIR transport (IATA/ICAO)</b>	Not regulated for transport

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations, and rules relating to the transportation of the material.

## Section 15. Regulatory Information

### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to Know Act of 1986) Sections 311 and 312

Acute:	Yes
Chronic:	No
Fire:	No
Pressure:	No
Reactive:	No

**Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to Know Act of 1986) Sections 313**

None present of none present in regulated quantities.

**Pennsylvania Right to Know**

The following chemicals are listed because of the additional requirements of Pennsylvania law:

**Components**

Distillates (petroleum), hydrotreated middle

**CASRN**

64742-46-7

**California Prop. 65**

WARNING: This product can expose you to chemicals including titanium dioxide, which is known to the State of California to cause cancer, and methanol, which is known to the state of California to cause birth defects and other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**United States TSCA Inventory**

All components of this product are in compliance with the inventory listing requirements of the US Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

**Section 16. Other Information**

**Hazard Rating System**

**NFPA**

Health	Flammability	Instability
0	0	0

**HMIS**

Health	Flammability	Instability
0	0	0

**Revision Date:** 07/17/20

**Disclaimer**

The data contained herein is based upon information that Soudal believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material, or the results to be obtained from the use thereof.



