

## ACCESSORIES

### Soudal Swipex



### Soudal Gun & Foam Cleaner



#### DESCRIPTION

- Swipex are solvent based **cleaning wipes** for uncured sealants & adhesives.
- Non woven wipes impregnated with a mixture of solvents, biodegradable non-ionic surfactants and skin emollients
- Suitable for all non-porous surfaces

- Soudal Gun & Foam Cleaner is a **solvent cleaner** specifically designed for cleaning of uncured PU foam.

#### APPLICATION


- For hands and tools
- Cleans uncured sealant
- Removes oil, adhesive, etc...

- For hands and tools
- Cleans uncured PU foam

### Guns



■ Soudal Contractor Grade Heavy Duty Caulking Gun, 10 oz Cartridge



■ Soudal Designer Gun 22" is a 22" long top of the line metal gun foam applicator




■ Soudal Skeleton Gun, 10 oz Cartridge



■ Soudal Designer Gun is a top of the line metal gun foam applicator



■ Soudal Compact Gun is a plastic gun foam applicator



■ Soudal Designer Gun 40" is a 40" long top of the line metal gun foam applicator

Distributed by: **Soudal** • 350 Ring Road, Elizabethtown, KY 42701 • info@soudalusa.com • 877-873-8739 • [www.soudalusa.com](http://www.soudalusa.com)

**SOUDAL**

**EXPERTS IN SEALANTS,  
ADHESIVES & PU FOAMS**

**SOUDAL**



**PROFESSIONAL CONSTRUCTION USA**

**Soudal**  
350 Ring Road  
Elizabethtown, KY 42701  
[www.soudalusa.com](http://www.soudalusa.com)  
[info@soudalusa.com](mailto:info@soudalusa.com)



## LATEX ACRYLICS

Soudacryl  
C920 Flex

Soudacryl  
LTX 1

Soudacryl  
LTX 2

Soudacryl  
LTX 3

Soudacryl  
C834

Soudacryl  
Acoustical



DESCRIPTION	<ul style="list-style-type: none"> <li>Soudacryl C920 is a premium grade, flexible elastomeric sealant.</li> <li>Paintable</li> <li>Very smooth formula</li> <li>Handles up to 5 freeze-thaw cycles</li> <li>Easy clean-up with water</li> <li>Low odor</li> <li>VOC compliant</li> <li><b>Mildew resistant</b></li> <li>Excellent adhesion to wood, masonry, brick, concrete, drywall, metal, glass &amp; many more</li> <li>Meets ASTM C-920</li> </ul>	<ul style="list-style-type: none"> <li>Soudacryl LTX 1 is a premium mildew resistant and paintable siliconized acrylic latex caulk.</li> <li><b>50-Year**</b></li> <li>Paintable</li> <li>Very smooth formula</li> <li>Handles up to 5 freeze-thaw cycles</li> <li>Easy clean-up with water</li> <li>Low odor</li> <li>VOC compliant</li> <li><b>Mildew resistant</b></li> <li>Excellent adhesion to wood, masonry, brick, concrete, drywall, metal, glass &amp; many more</li> <li>Meets ASTM C-834</li> </ul>	<ul style="list-style-type: none"> <li>Soudacryl LTX 2 is a high quality painters acrylic latex caulk.</li> <li><b>30-Year**</b></li> <li>Paintable</li> <li>Very smooth formula</li> <li>Handles up to 5 freeze-thaw cycles</li> <li>Easy clean-up with water</li> <li>Low odor</li> <li>VOC compliant</li> <li><b>Mildew resistant</b></li> <li>Excellent adhesion to wood, masonry, brick, concrete, drywall, &amp; many more</li> </ul>	<ul style="list-style-type: none"> <li>Soudacryl LTX 3 is a high quality acrylic latex caulk.</li> <li><b>20-Year**</b></li> <li>Paintable</li> <li>Very smooth formula</li> <li>Handles up to 5 freeze-thaw cycles</li> <li>Easy clean-up with water</li> <li>Low odor</li> <li>VOC compliant</li> <li><b>Mildew resistant</b></li> <li>Excellent adhesion to wood, masonry, brick, concrete, drywall, &amp; many more</li> </ul>	<ul style="list-style-type: none"> <li>Soudacryl C834 is a professional grade siliconized acrylic latex.</li> <li><b>20-Year**</b></li> <li>Paintable</li> <li>Very smooth formula</li> <li>Handles up to 5 freeze-thaw cycles</li> <li>Easy clean-up with water</li> <li>Low odor</li> <li>VOC compliant</li> <li><b>Mildew resistant</b></li> <li>Excellent adhesion to wood, masonry, brick, concrete, drywall, &amp; many more</li> <li>Meets ASTM C-834</li> </ul>	<ul style="list-style-type: none"> <li>Soudacryl Acoustical Smoke &amp; Sound is a professional grade acrylic sound sealant.</li> <li>Paintable</li> <li>Very smooth formula</li> <li>Handles up to 5 freeze-thaw cycles</li> <li>Easy clean-up with water</li> <li>Low odor</li> <li>VOC compliant</li> <li><b>Mildew resistant</b></li> <li>Excellent adhesion to wood, masonry, brick, concrete, drywall, metal, glass &amp; many more</li> <li>Meets STC requirements (Sound Transmission Class)</li> </ul>
APPLICATION	<ul style="list-style-type: none"> <li>Watertight sealing</li> <li>Window &amp; door installs</li> <li>Kitchen &amp; Bathrooms</li> <li>Crown molding</li> <li>Baseboards</li> <li>Trim</li> </ul>	<ul style="list-style-type: none"> <li>Window &amp; door frames</li> <li>Kitchen &amp; bathroom</li> <li>Trims</li> <li>Molding</li> </ul>	<ul style="list-style-type: none"> <li>Wall cracks</li> <li>Trims</li> <li>Baseboards</li> <li>Corner joints</li> </ul>	<ul style="list-style-type: none"> <li>Low movement joints</li> <li>Trims</li> <li>Wall cracks</li> <li>Baseboards</li> </ul>	<ul style="list-style-type: none"> <li>Moderate movement joints</li> <li>Trims</li> <li>Window &amp; door frames</li> <li>Baseboards</li> </ul>	<ul style="list-style-type: none"> <li>Sealing of wall partitions</li> <li>Ceiling runners</li> <li>Cut-outs in gypsum boards</li> <li>Crown molding</li> <li>Veneer plaster systems</li> </ul>
PACKAGING*	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> </ul>	<ul style="list-style-type: none"> <li>4.5 Gallon pail</li> </ul>	<ul style="list-style-type: none"> <li>29 fl. oz. cartridge</li> <li>20 fl. oz. sausage</li> <li>5 Gallon pail</li> </ul>
COLORS*	<ul style="list-style-type: none"> <li>Clear, White</li> </ul>	<ul style="list-style-type: none"> <li>White, Clear, Bronze, Cedar, Brown, Almond, Grey</li> </ul>	<ul style="list-style-type: none"> <li>White</li> </ul>	<ul style="list-style-type: none"> <li>White</li> </ul>	<ul style="list-style-type: none"> <li>White</li> </ul>	<ul style="list-style-type: none"> <li>White</li> </ul>

\* Some colors / other packaging may be subject to minimum order quantities and lead times \*\* Refer to Technical Data Sheet for Product Replacement Policy

**SOUDAL**

# NEW

## Soudatight Hybrid

Soudatight Hybrid is a high-quality hybrid polymer paste which, after curing, forms a seamless, air and watertight elastic membrane. Soudatight Hybrid has been developed for use in façade applications.

### DESCRIPTION

- Driving rain tight
- Airtight
- Vapor permeable
- For outdoor use (indoor use also possible)
- Stays elastic after curing and very durable
- Forms a seamless membrane
- Good adhesion on slightly moist substrates
- Good adhesion on slightly dusty substrates
- Can be painted, plastered or taped after drying
- Free of solvents and isocyanate
- EC-1 PLUS label: very low emission

### APPLICATION

- For air- and watertight finishing of above-ground:
- Rough openings
- Penetration seals
- Connections
- Surfaces (no roof applications)
- Window connections

### PACKAGING

- 20 fl. oz. sausage
- 1.03 Gallon pail

### COLOR

- Grey



## Soudasil Glaze

Soudasil Glaze is a high performance 100% neutral cure silicone sealant ideally suited for all window and door applications. It offers primerless adhesion to vinyl, wood, glass, aluminum and most other commonly used construction surfaces.

### DESCRIPTION

- VOC Compliant
- Low Odor
- Excellent Backbedding Sealant
- Primerless adhesion on glass, vinyl, wood, aluminum, and many more
- Non-Flammable
- Meets STC requirements (Sound Transmission Class)

### APPLICATION

- Building and Construction Joints
- Top Sealing of Glazing Joints
- Joints with high movement between different building materials.
- Sealing between treated wood, metal, PVC profiles, and glass

### COLOR

- Anodized Aluminum, Antique White, Clear, Black, Bronze, Grey, Limestone, White, Window Bronze



## Soudabond Power Spray

Soudabond Power Spray USA is a ready-to-use, strong and fast contact adhesive based on synthetic rubbers. It is applied two-sided and carried in an aerosol.

### DESCRIPTION

- Universal use
- Complies to Prop. 65
- Complies to CARB VOC
- Short evaporation time
- Fast strength build-up.
- Ready to use and very user-friendly
- Dichloromethane (DCM) free
- Fast drying process.
- Good adhesion to many materials
- Fast hand tight bond.

### APPLICATION

- For bonding a broad range of materials
- Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber.
- Suitable for bonding of low energy surfaces.



## PU SEALANT

## SMX® HYBRID POLYMER SEALANTS

## SILICONE SEALANTS

**Soudaflex  
PU35**

**Soudaseal  
AP**

**Soudaseal  
50LM**

**Soudaseal  
FC**

**Soudaseal  
SL**

**Soudaseal  
CL**

**Soudaseal  
MB**

**Acryrub  
Firestop**

**Acryrub  
Fireblock**

**Soudasil  
N1**

**Soudasil  
RTV1**

**Soudasil  
RTV2**

**Soudasil  
RTV3**

**Soudasil  
HT1**



### DESCRIPTION

**Soudaflex PU35** is a one component, medium-low modulus, polyurethane sealant.

- Paintable
- Easy application
- Movement capability of +/- 35%
- Excellent adhesion to concrete, masonry, wood, metals, & many more
- Good weather and UV resistance

**Soudaseal AP** is an all purpose SMX® hybrid sealant & adhesive with +/- 35% movement capabilities.

- New generation sealant / adhesive
- Paintable (no need to wait until full cure before painting)
- No solvents / isocyanates (no shrinkage)
- Low odor
- Even adheres to moist substrates
- No bubbling
- Plastic cartridge
- UV stable (no discoloring)
- AAMA compliant

**Soudaseal 50LM** is a low modulus +/- 50% movement SMX® hybrid sealant.

- New generation sealant / adhesive
- Paintable (no need to wait until full cure before painting)
- No solvents / isocyanates (no shrinkage)
- Low odor
- Even adheres to moist substrates
- No bubbling
- Plastic cartridge
- UV stable (no discoloring)

**Soudaseal FC** is a fast cure / quick grab SMX® hybrid adhesive / sealant with +/- 50% movement capabilities.

- New generation sealant / adhesive
- Paintable (no need to wait until full cure before painting)
- No solvents / isocyanates (no shrinkage)
- Low odor
- Even adheres to moist substrates
- No bubbling
- Plastic cartridge
- UV stable (no discoloring)

**Soudaseal SL** is a self leveling SMX® hybrid sealant with +/- 50% movement capabilities.

- For horizontal expansion joints.
- New generation sealant / adhesive
- Paintable (no need to wait until full cure before painting)
- No solvents / isocyanates (no shrinkage)
- Low odor
- Even adheres to moist substrates
- No bubbling
- Plastic cartridge
- UV stable (no discoloring)

**Soudaseal CL** is a crystal clear SMX® hybrid adhesive / sealant with +/- 25% movement capabilities.

- New generation sealant / adhesive
- Paintable (no need to wait until full cure before painting)
- No solvents / isocyanates (no shrinkage)
- Low odor
- Even adheres to moist substrates
- No bubbling
- Plastic cartridge
- UV stable

**Soudaseal MB** is a high modulus SMX® hybrid adhesive for high performance metal duct sealing.

- New generation sealant / adhesive
- Paintable (no need to wait until full cure before painting)
- No solvents / isocyanates (no shrinkage)
- Low odor
- Even adheres to moist substrates
- No bubbling
- Plastic cartridge
- UV stable

**Acryrub Firestop** is a UL Classified fire, smoke and draft intumescent caulk formulated using inorganic materials.

- In case of fire, forms a flexible shield preventing the spread of fire, smoke and toxic gases through construction openings
- New generation sealant / adhesive
- Paintable (no need to wait until full cure before painting)
- No solvents / isocyanates (no shrinkage)
- Low odor
- Even adheres to moist substrates
- No bubbling
- Plastic cartridge
- UV stable

**Acryrub Fireblock** is a fire, smoke and draftstop sealant formulated using noncombustible, inorganic materials.

- Prevents the spread of fire, smoke and toxic gases through construction openings
- Excellent adhesion properties
- Remains flexible when cured
- Clean-up with water
- Service temp: -20°F – 800°F
- VOC compliant
- Both interior and exterior applications
- Meets ASTM E-814 (UL1479)

**Soudasil N1** is a premium grade 100% neutral cure silicone.

- Permanently flexible
- Easy to apply
- Excellent adhesion to glass, vinyl, wood, aluminum & many more
- Low odor
- UV resistant
- No shrinkage
- AAMA compliant
- VOC compliant

**Soudasil RTV1** is a top of the line food grade 100% RTV silicone.

- Permanently flexible
- Easy to apply
- Excellent adhesion to glass, ceramic, porcelain, metals, wood & many more
- UV resistant
- No shrinkage
- NSF/FDA compliant
- VOC compliant

**Soudasil RTV2** is a general purpose, mildew resistant 100% RTV silicone.

- Permanently flexible
- Easy to apply
- Excellent adhesion to glass, ceramic, porcelain, metals, wood & many more
- Mildew resistant
- UV resistant
- No shrinkage
- Mildew resistant
- VOC compliant

**Soudasil RTV3** is a top of the line construction 100% RTV silicone.

- Permanently flexible
- Easy to apply
- Red colored silicone
- UV resistant
- No shrinkage
- Resist temperatures up to 500°F
- VOC compliant

**Soudasil HT1** is a 100% high temp RTV silicone.

- Permanently flexible
- Easy to apply
- Excellent adhesion to glass, ceramic, porcelain, metals, wood & many more
- UV resistant
- UV resistant
- No shrinkage
- Mildew resistant
- VOC compliant

### APPLICATION

Large movement joints

Expansion joints in concrete floors

Building & construction joints

Windows & doors

Roofing & siding

Concrete & masonry

General construction

High movement joints

Window & door perimeters

Bay & bow mullions

Architectural construction

Structural construction

Trailer & vehicle assembly

Bonding applications in vibrating constructions

Driveways & walkways

Pool expansion joints

Concrete joints

Decks

Interior glass

Bathroom & kitchen

Metal ducts

Wall & floor penetrations

Construction openings

Full surface bonding

Wall & floor penetrations

Interior voids

Construction openings

Glazing (backbedding)

Windows & doors

Building & construction joints

Food industry

Transport & Industry

Building & construction

Sealing of glass to glass

Kitchen & bathroom

Transport & Industry

Building & construction

Sealing of glass to glass

HVAC/R

Heating elements

Duct work

Vents & pipes

### PACKAGING\*

10.1 fl. oz. cartridge

10.1 fl. oz. cartridge

20 fl. oz. sausage

10.1 fl. oz. cartridge

20 fl. oz. sausage

10.1 fl. oz. cartridge

20 fl. oz. sausage

29 fl. oz. cartridge

20 fl. oz. sausage

10.1 fl. oz. cartridge

20 fl. oz. sausage

1 Gallon pail

52 gallon drum

10.1 fl. oz. cartridge

4.5 gallon pail

10.1 fl. oz. cartridge

8.1 fl. oz. pressure can

10.1 fl. oz. cartridge

20 fl. oz. sausage

10.1 fl. oz. cartridge

52 gallon drum

10.1 fl. oz. cartridge

20 fl. oz. sausage

10.1 fl. oz. cartridge

4.5 gallon pail

10.1 fl. oz. cartridge

8.1 fl. oz. pressure can

10.1 fl. oz. cartridge

20 fl. oz. sausage

10.1 fl. oz. cartridge

52 gallon drum

10.1 fl. oz. cartridge

8.1 fl. oz. pressure can

10.1 fl. oz. cartridge

Red

### COLORS\*

White, Off White, Tan, Stone, Limestone, Gray, Aluminum Gray, Hunter Green, Medium Bronze, Special Bronze, Black, Redwood Tan

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green

Red

## PU FOAMS



DESCRIPTION	<ul style="list-style-type: none"> <li>Soudafoam Black is a <b>minimal expansion</b>, one component, moisture cure PU foam.</li> <li>Black in color</li> <li>Minimal expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Flex is a unique, <b>flexible</b>, minimal expansion, one component, moisture curing PU foam.</li> <li>Very high elastic recovery (up to 90% if compressed by 75%)</li> <li>Easy application</li> <li>Gunable in all seasons (-13°F to 120°F) with a can temperature of 40°F to 95°F</li> <li>Minimal expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li><b>2 year shelf life</b></li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>Storage in all positions</li> <li>AAMA compliant</li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam All Season is a top of the line, <b>minimal expansion</b>, one component, moisture curing PU foam for use in <b>extreme climates</b>.</li> <li>Extreme weather formulation</li> <li>Gunable in all seasons (-13°F to 120°F) with a can temperature of 40°F to 95°F</li> <li>Minimal expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>AAMA compliant</li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Door &amp; Window is a <b>minimal expansion</b>, one component, moisture curing PU foam.</li> <li>Minimal expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>AAMA compliant</li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Door &amp; Window is a <b>minimal expansion</b>, one component, moisture curing PU foam.</li> <li>Integrated gun system</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>AAMA compliant</li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Fireblock is a <b>fireblock approved</b>, one component, moisture curing PU foam.</li> <li>Minimal expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>Tested according to ASTM E814 (modified)</li> </ul>
-------------	---	---	---	---	---	--

## PU FOAMS



<ul style="list-style-type: none"> <li>Soudafoam Fireblock is a <b>fireblock approved</b>, one component, moisture curing PU foam.</li> <li>Orange fireblock foam</li> <li>Expanding Foam</li> <li>Reusable</li> <li>Orange fireblock foam</li> <li>Expanding Foam</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>Tested according to ASTM E814 (modified)</li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Gap Fill is a <b>gap filling</b>, high expansion, one component, moisture curing PU foam.</li> <li>High expansion</li> <li>Integrated gun system</li> <li>Reusable</li> <li>Orange fireblock foam</li> <li>Expanding Foam</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>Tested according to ASTM E814 (modified)</li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Gap Fill is a <b>gap filling</b>, high expansion, one component, moisture curing PU foam.</li> <li>High expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>Tested according to ASTM E814 (modified)</li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Gap Fill is a <b>gap filling</b>, high expansion, one component, moisture curing PU foam.</li> <li>High expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>Tested according to ASTM E814 (modified)</li> </ul>
---	---	---	---

## PU ADHESIVE



<ul style="list-style-type: none"> <li>Soudabond Easy is a fast curing, ready to use, one component, <b>gunnable PU adhesive</b>.</li> <li>Integrated gun system</li> <li>Reusable</li> <li>Easy application</li> <li>Time &amp; money saving</li> <li>Excellent adhesion to almost all substrates</li> <li>Fast cure</li> <li>High initial grip</li> <li>Even adheres to moist surfaces</li> </ul>	<ul style="list-style-type: none"> <li>Soudabond Easy is a fast curing, ready to use, one component, <b>gunnable PU adhesive</b>.</li> <li>Integrated gun system</li> <li>Reusable</li> <li>Easy application</li> <li>Time &amp; money saving</li> <li>Excellent adhesion to almost all substrates</li> <li>Fast cure</li> <li>High initial grip</li> <li>Even adheres to moist surfaces</li> </ul>	<ul style="list-style-type: none"> <li>Soudabond Subfloor is a high strength, fast curing <b>gunnable PU adhesive</b> that collapses to a gel immediately after application.</li> <li>Easy application</li> <li>Time &amp; money saving</li> <li>Excellent adhesion to almost all substrates</li> <li>Fast cure</li> <li>Protects against squeaks</li> <li>Even adheres to moist surfaces</li> <li>Meets ASTM D3498</li> </ul>
---	---	--

APPLICATION	<ul style="list-style-type: none"> <li>RV industry</li> <li>Pond &amp; Stone</li> <li>Pest Control</li> </ul>	<ul style="list-style-type: none"> <li>Window &amp; Door installs</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Window &amp; Door installs</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Window &amp; Door installs</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Window &amp; Door installs</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Penetrations between floors &amp; walls</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Penetrations between floors &amp; walls</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Penetrations between floors &amp; walls</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Penetrations between floors &amp; walls</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Filling of cavities</li> <li>Sealing of large openings &amp; gaps</li> <li>Installation of HVAC units</li> <li>Pest control</li> </ul>	<ul style="list-style-type: none"> <li>Filling of cavities</li> <li>Sealing of large openings &amp; gaps</li> <li>Installation of HVAC units</li> <li>Pest control</li> </ul>	<ul style="list-style-type: none"> <li>Filling of cavities</li> <li>Sealing of large openings &amp; gaps</li> <li>Installation of HVAC units</li> <li>Pest control</li> </ul>	<ul style="list-style-type: none"> <li>Bonding of foam boards</li> <li>Drywall adhesive</li> <li>Insulating roof panels</li> <li>Gluing decorative elements</li> </ul>	<ul style="list-style-type: none"> <li>Bonding of foam boards</li> <li>Drywall adhesive</li> <li>Insulating roof panels</li> <li>Gluing decorative elements</li> </ul>
-------------	---	---	---	---	---	--	--	--	--	---	---	---	--	--

PACKAGING*	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>12 oz. aerosol can <b>Straw Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>20 oz. aerosol can <b>Genius Gun</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>12 oz. aerosol can <b>Straw Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>20 oz. aerosol can <b>Genius Gun</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>12 oz. aerosol can <b>Straw Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>20 oz. aerosol can <b>Genius Gun</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Genius Gun</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>
------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--

COLORS*	<ul style="list-style-type: none"> <li>Black</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Orange</li> </ul>	<ul style="list-style-type: none"> <li>Orange</li> </ul>	<ul style="list-style-type: none"> <li>Orange</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>								
---------	---	---	---	---	---	--	--	--	---	---	---	---	---	---

\* Some colors / other packaging may be subject to minimum order quantities and lead times \*\* Manufactured under Patent No. 10106309

**SOUDAL**