

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture
Trade name : Fix All High Tack

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Intended for general public
Use of the substance/mixture : Sealants
Recommended use : Adhesives, sealants

1.4. Supplier's details

Soudal N.V.
Everdongenlaan 18-20
Turnhout, 2300
Belgium
T +32 14 42 42 31 - F +32 14 42 65 14
sds@soudal.com - www.Soudal.com

1.5. Emergency phone number

No additional information available

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Not classified

2.2. GHS label elements, including precautionary statements

GHS CA labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

3.2. Mixtures

| Name | Chemical name / Synonyms | Product identifier | % | Classification (GHS CA) |
|--|---|---------------------|----------------|--|
| titanium dioxide | - | CAS-No.: 13463-67-7 | $\geq 1 - < 5$ | Not classified |
| trimethoxyvinylsilane | trimethoxyvinylsilane (trimethoxysilyl)ethylene / VTMO | CAS-No.: 2768-02-7 | < 1 | Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapor), H332 Skin Sens. 1B, H317 |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine | (3-(2-aminoethyl)amino propyl)trimethoxy silane / 1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]- | CAS-No.: 1760-24-3 | $\geq 1 - < 3$ | Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 3, H335 |

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center/doctor/physician if you feel unwell. |
| First-aid measures general | : If you feel unwell, seek medical advice. |

4.2. Most important symptoms/effects, acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects after inhalation | : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. |
| Symptoms/effects after skin contact | : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing. |
| Symptoms/effects after eye contact | : None under normal conditions. Dust from this product may cause eye irritation. |
| Symptoms/effects after ingestion | : None under normal conditions. |

4.3. Indication of immediate medical attention and special treatment needed, if necessary

| | |
|-----------------------------------|--------------------------|
| Other medical advice or treatment | : Treat symptomatically. |
|-----------------------------------|--------------------------|

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

| | |
|--------------------------------|------------------------------------|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Specific hazards arising from the chemical

| | |
|------------------|-------------------------------|
| Fire hazard | : No fire hazard. |
| Explosion hazard | : No direct explosion hazard. |

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

5.3. Special protective actions for fire-fighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

- Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

- For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.
- Methods for cleaning up : Mechanically recover the product.
- Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Keep cool. Protect from sunlight.
- Packaging materials : Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

trimethoxyvinylsilane (2768-02-7)

Canada (Ontario) - Occupational Exposure Limits

| | |
|----------------------|---|
| Local name | Trimethoxyvinylsilane |
| OEL TWAEV | 60 mg/m ³ |
| | 10 ppm |
| Regulatory reference | Ontario Occupational Exposure Limits under Regulation 833 |

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| titanium dioxide (13463-67-7) | |
|--|--|
| Canada (Alberta) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA | 10 mg/m ³ |
| Notations and remarks | Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required. |
| Regulatory reference | Alberta Regulation 191/2021 |
| Canada (Quebec) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| VEMP (OEL TWAEV) | 10 mg/m ³ Td |
| Notations and remarks | Note 1: The standard corresponds to dust containing no asbestos and the percentage in crystalline silica is less than 1% |
| Regulatory reference | S-2.1, r. 13 - Regulation respecting occupational health and safety |
| Canada (British Columbia) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA | 10 mg/m ³ Total dust 3 mg/m ³ Respirable fraction |
| Notations and remarks | IARC group 2B carcinogen |
| Regulatory reference | OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC) |
| Canada (Manitoba) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA | 0.2 mg/m ³ (Nanoscale particles. R - Repairable particulate matter) 2.5 mg/m ³ (Finescale particles. R - Repairable particulate matter) |
| Notations and remarks | TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans) |
| Regulatory reference | ACGIH 2024 |
| Canada (New Brunswick) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA | 10 mg/m ³ |
| Notations and remarks | LRT irr |
| Canada (Newfoundland and Labrador) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA | 0.2 mg/m ³ (Nanoscale particles. R - Repairable particulate matter) 2.5 mg/m ³ (Finescale particles. R - Repairable particulate matter) |
| Notations and remarks | TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans) |
| Regulatory reference | ACGIH 2024 |
| Canada (Nova Scotia) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA | 0.2 mg/m ³ (Nanoscale particles. R - Repairable particulate matter) 2.5 mg/m ³ (Finescale particles. R - Repairable particulate matter) |

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| titanium dioxide (13463-67-7) | |
|---|--|
| Notations and remarks | TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans) |
| Regulatory reference | ACGIH 2024 |
| Canada (Nunavut) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA | 10 mg/m ³ |
| OEL STEL | 20 mg/m ³ |
| Regulatory reference | Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021) |
| Canada (Northwest Territories) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA | 10 mg/m ³ |
| OEL STEL | 20 mg/m ³ |
| Regulatory reference | Occupation Health and Safety Regulations R-039-2015 (R-013-2020) |
| Canada (Ontario) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWAEV | 10 mg/m ³ |
| Regulatory reference | Ontario Occupational Exposure Limits under Regulation 833 |
| Canada (Prince Edward Island) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA | 0.2 mg/m ³ (Nanoscale particles. R - Repirable particulate matter) 2.5 mg/m ³ (Finescale particles. R - Repirable particulate matter) |
| Notations and remarks | TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans) |
| Regulatory reference | ACGIH 2024 |
| Canada (Saskatchewan) - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL TWA | 10 mg/m ³ |
| OEL STEL | 20 mg/m ³ |
| Regulatory reference | The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10 |

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| |
|------------------------|
| Eye protection: |
| Safety glasses |

| |
|-----------------------------------|
| Skin and body protection: |
| Wear suitable protective clothing |

| |
|--|
| Respiratory protection: |
| In case of insufficient ventilation, wear suitable respiratory equipment |

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

| | |
|---|----------------------------------|
| Physical state | : Solid |
| Appearance | : Solid. |
| Color | : Various colors |
| Odor | : characteristic |
| Odor threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Relative evaporation rate (ether=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : Not applicable |
| Boiling point | : No data available |
| Flash point | : Not applicable |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Non flammable |
| Vapor pressure | : No data available |
| Relative vapor density at 20°C | : No data available |
| Relative density | : No data available |
| Density | : 1.485 g/cm ³ (20°C) |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : Not applicable |
| Explosion limits | : Not applicable |
| Particle characteristics | : No data available |

| | |
|------------------------------|-------------------|
| Trimethoxyvinylsilane | |
| Particle characteristics | No data available |

| | |
|---|-------------------|
| N-(3-(trimethoxysilyl)propyl)ethylenediamine | |
| Particle characteristics | No data available |

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

titanium dioxide

| | |
|--------------------------|-------------------|
| Particle characteristics | No data available |
|--------------------------|-------------------|

9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content : < 1 %

SECTION 10 Stability and reactivity

Reactivity : No additional information available
Chemical stability : No additional information available
Possibility of hazardous reactions : No additional information available
Conditions to avoid : No additional information available
Incompatible materials : No additional information available
Hazardous decomposition products : No additional information available
Hardening time: : No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

trimethoxyvinylsilane (2768-02-7)

| | |
|-----------------------|---|
| LD50 oral rat | 6899 – 7012 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | 3158 – 3760 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) |
| LC50 Inhalation - Rat | 16.8 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s)) |
| ATE CA (oral) | 6955.5 mg/kg body weight |
| ATE CA (Dermal) | 3459 mg/kg body weight |
| ATE CA (vapors) | 16.8 mg/l/4h |
| ATE CA (dust,mist) | 16.8 mg/l/4h |

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

| | |
|-----------------------|--|
| LD50 oral rat | 2295 mg/kg body weight (EPA OPPTS 870.1100: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 2000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) |
| LC50 Inhalation - Rat | 1.49 – 2.44 mg/l air (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) |
| ATE CA (oral) | 2295 mg/kg body weight |

titanium dioxide (13463-67-7)

| | |
|---------------|---|
| LD50 oral rat | > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
|---------------|---|

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| titanium dioxide (13463-67-7) | |
|--|---|
| LC50 Inhalation - Rat | > 5.09 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s)) |
| Skin corrosion/irritation | : Not classified |
| trimethoxyvinylsilane (2768-02-7) | |
| pH | No data available in the literature |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3) | |
| pH | 10.2 (1 %) |
| titanium dioxide (13463-67-7) | |
| pH | 7 (aqueous suspension, 10 %) |
| Serious eye damage/irritation | : Not classified (Based on available data, the classification criteria are not met). |
| Fix All High Tack | |
| Eye Irritation (test on mixture), Eye | No eye irritation ((OECD 405 method)) |
| trimethoxyvinylsilane (2768-02-7) | |
| pH | No data available in the literature |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3) | |
| pH | 10.2 (1 %) |
| titanium dioxide (13463-67-7) | |
| pH | 7 (aqueous suspension, 10 %) |
| Respiratory or skin sensitization | : Skin sensitization: Not classified. |
| Fix All High Tack | |
| Skin Sensitisation (test on mixture), Skin, In vitro | Not sensitising (OECD 497) |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| titanium dioxide (13463-67-7) | |
| IARC group | 2B - Possibly carcinogenic to humans |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| Fix All High Tack | |
| Viscosity, kinematic | Not applicable |
| trimethoxyvinylsilane (2768-02-7) | |
| Viscosity, kinematic | 0.7 mm ² /s (20 °C) |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3) | |
| Viscosity, kinematic | 3.1 mm ² /s (20 °C, Calculated) |

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| titanium dioxide (13463-67-7) | |
|-------------------------------------|---|
| Viscosity, kinematic | Not applicable (solid) |
| Symptoms/effects after inhalation | : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. |
| Symptoms/effects after skin contact | : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing. |
| Symptoms/effects after eye contact | : None under normal conditions. Dust from this product may cause eye irritation. |
| Symptoms/effects after ingestion | : None under normal conditions. |

SECTION 12 Ecological information

12.1. Toxicity

| | |
|---|--|
| Ecology - general | : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

| trimethoxyvinylsilane (2768-02-7) | |
|-----------------------------------|---|
| LC50 - Fish [1] | 191 mg/l (96 h, Oncorhynchus mykiss, Fresh water, Experimental value, Nominal concentration) |
| EC50 - Crustacea [1] | 169 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| ErC50 algae | > 89 mg/l (72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |
| NOEC chronic algae | 89 mg/l (72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |

| N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3) | |
|--|---|
| LC50 - Fish [1] | 597 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 81 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| ErC50 algae | 8.8 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, GLP) |
| EC50 72h - Algae [1] | 126 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

| titanium dioxide (13463-67-7) | |
|-------------------------------|---|
| LC50 - Fish [1] | > 1000 mg/l (Pisces, Fresh water, Literature study) |
| EC50 - Crustacea [1] | > 1000 mg/l (Invertebrata, Fresh water, Literature study) |
| EC50 72h - Algae [1] | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate) |
| NOEC (chronic) | ≥ 2.92 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

12.2. Persistence and degradability

Fix All High Tack

| | |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |
|-------------------------------|------------------------|

trimethoxyvinylsilane (2768-02-7)

| | |
|-------------------------------|----------------------------------|
| Persistence and degradability | not readily degradable in water. |
|-------------------------------|----------------------------------|

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

| | |
|-------------------------------|----------------------------------|
| Persistence and degradability | not readily degradable in water. |
|-------------------------------|----------------------------------|

titanium dioxide (13463-67-7)

| | |
|-------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
|-------------------------------|-----------------------------------|

12.3. Bioaccumulative potential

trimethoxyvinylsilane (2768-02-7)

| | |
|---------------------------|--|
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
|---------------------------|--|

| | |
|---|---------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 1.1 (QSAR, KOWWIN, 20 °C) |
|---|---------------------------|

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

| | |
|---------------------------|----------------------|
| Bioaccumulative potential | Not bioaccumulative. |
|---------------------------|----------------------|

| | |
|---|--------------------|
| Partition coefficient n-octanol/water (Log Pow) | -0.3 (QSAR, 20 °C) |
|---|--------------------|

titanium dioxide (13463-67-7)

| | |
|---------------------------|----------------------|
| Bioaccumulative potential | Not bioaccumulative. |
|---------------------------|----------------------|

12.4. Mobility in soil

trimethoxyvinylsilane (2768-02-7)

| | |
|----------------|---------------------------------------|
| Ecology - soil | Low potential for adsorption in soil. |
|----------------|---------------------------------------|

| | |
|--|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.8 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
|--|--|

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

| | |
|----------------|-------------------------------------|
| Ecology - soil | Low potential for mobility in soil. |
|----------------|-------------------------------------|

| | |
|--|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.5 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
|--|--|

titanium dioxide (13463-67-7)

| | |
|----------------|-------------------------------------|
| Ecology - soil | Low potential for mobility in soil. |
|----------------|-------------------------------------|

12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| | |
|--|---|
| Sewage disposal recommendations | : Do not discharge into drains or the environment. Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |
| Ecological waste information | : Avoid release to the environment. |

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

14.1. UN Number

Not regulated for transport

14.2. UN Proper Shipping Name

| | |
|-----------------------------|-----------------|
| Proper Shipping Name (TDG) | : Not regulated |
| Proper Shipping Name (DOT) | : Not regulated |
| Proper Shipping Name (IMDG) | : Not regulated |
| Proper Shipping Name (IATA) | : Not regulated |

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG) : Not regulated

DOT

Transport hazard class(es) (DOT) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

14.4. Packing group, if applicable

| | |
|----------------------|-----------------|
| Packing group (TDG) | : Not regulated |
| Packing group (DOT) | : Not regulated |
| Packing group (IMDG) | : Not regulated |
| Packing group (IATA) | : Not regulated |

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG

Not regulated

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

Fix All High Tack

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

trimethoxyvinylsilane (2768-02-7)

Listed on the Canadian DSL (Domestic Substances List)

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Listed on the Canadian DSL (Domestic Substances List)

titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

Fix All High Tack

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

trimethoxyvinylsilane (2768-02-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16 Other Information

Issue date : 12-24-2025

Full text of hazard classes and H-statements:

| | |
|------|-------------------------------------|
| H226 | Flammable liquid and vapor |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.